



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. Patent No.: 7,255,372

Serial No. : 10/805,356

Filed : March 22, 2004

Issued : August 14, 2007

For : DEVICE AND METHOD FOR CONNECTION WITH RELATIVE AND
CONTROLLED SEALING BETWEEN A PIPE AND A CERAMIC TUBE

Certificate
DEC 06 2007
of Correction

**PETITION FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 C.F.R. § 1.322 OR § 1.323**

Assistant Commissioner for Patents
Washington, D. C. 20231

Sir:

Applicants hereby request that the above-identified U.S. patent be corrected in accordance with the attached Certificate of Correction.

I. C.F.R. § 1.322

- ☒ The mistake(s) were incurred through the fault of the Patent and Trademark Office and are clearly disclosed in the records of the Office. Therefore, no fee is due.

II. C.F.R. § 1.323

- ☐ At least some of the mistakes was/were made by the applicant. Therefore, a check in the amount of \$100.00 in payment of the fee set forth in 37 C.F.R. § 1.20(a) is enclosed herewith.

Enclosed herewith is a Form PTO-1050 (in duplicate) listing errors that have been found in the above-identified patent. The error(s) are of a clerical or typographical nature or of minor character and were made in good faith. The requested correction(s) do not constitute new matter or require reexamination.

DEC 6 2007

III. Accordingly, patentees and their assignee respectfully request that the Patent and Trademark Office issue a Certificate of Correction pursuant to 37 C.F.R. § 1.322 or § 1.323, respectively.

Respectfully submitted,


John R. Moses, Reg. No. 24,983
Attorney for Applicants

MILLEN, WHITE, ZELANO
& BRANIGAN, P.C.
Arlington Courthouse Plaza 1
2200 Clarendon Blvd. Suite 1400
Arlington, Virginia 22201
Telephone: (703) 243-6333
Facsimile: (703) 243-6410

Attorney Docket No.: PET-2131

Date: December 4, 2007

JRM/cht/jmj

DEC 6 2007

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 7,255,372

DATED : August 14, 2007

INVENTOR(S) : Stephane BERTHOLIN

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

On Front Page, Assignee reads "Institute" should read -- Institut --

On Front Page, Assignee reads "Malmaison, Cedex" should read -- Malmaison Cedex --

MAILING ADDRESS OF SENDER:

Millen, White, Zelano & Branigan, P.C.
2200 Clarendon Blvd, Suite 1400
Arlington, VA 22201

PATENT NO. 7,255,372

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

111 0207